

IORT from ZEISS

Clinical References for Breast Cancer

Top Clinical References



Vaidya, J. S., Bulsara, M., Wenz, F., Coombs, N., Singer, J., Ebbs, S., ... Baum, M. (2016). Reduced mortality with partial breast irradiation for early breast cancer – a meta-analysis of randomised trials. *International Journal of Radiation Oncology*Biography*Physics*.



Corica, T., Nowak, A. K., Saunders, C. M., Bulsara, M., Taylor, M., Vaidya, J. S., ... Joseph, D. J. (2016). Cosmesis and breast-related quality of life outcomes following intra-operative radiotherapy for early breast cancer - a sub-study of the TARGIT-A trial. *International Journal of Radiation Oncology*Biography*Physics*.



Valente, S. A., Tendulkar, R. D., Cherian, S., O'Rourke, C., Greif, J. M., Bailey, L., ... Grobmyer, S. R. (2016). TARGIT-R (Retrospective): North American Experience with Intraoperative Radiation Using Low-Kilovoltage X-Rays for Breast Cancer. *Annals of Surgical Oncology*.



Fabris, L., Berton, S., Citron, F., D'Andrea, S., Segatto, I., Nicoloso, M. S., ... Belletti, B. (2016). Radiotherapy-induced miR-223 prevents relapse of breast cancer by targeting the EGF pathway. *Oncogene*, (November 2015), 1–13.



Vaidya, J. S., Bulsara, M., Wenz, F., Joseph, D., Saunders, C., Massarut, S., ... Baum, M. (2015). Pride, prejudice, or science: Attitudes towards the results of the TARGIT-A trial of targeted intraoperative radiation therapy for breast cancer. *International Journal of Radiation Oncology Biology Physics*, 92(3), 491–497.



Vaidya, J. S., Wenz, F., Bulsara, M., Tobias, J. S., Joseph, D. J., Keshtgar, M., ... Baum, M. (2014). Risk-adapted targeted intraoperative radiotherapy versus whole-breast radiotherapy for breast cancer: 5-year results for local control and overall survival from the TARGIT-A randomised trial. *The Lancet*, 383(9917), 603–613.



Welzel, G., Boch, A., Sperk, E., Hofmann, F., Kraus-Tiefenbacher, U., Gerhardt, A., ... Wenz, F. (2013). Radiation-related quality of life parameters after targeted intraoperative radiotherapy versus whole breast radiotherapy in patients with breast cancer: results from the randomized phase III trial TARGIT-A. *Radiation Oncology*, 8(1), 9.



Keshtgar, M. R. S., Williams, N. R., Bulsara, M., Saunders, C., Flyger, H., Cardoso, J. S., ... Joseph, D. J. (2013). Objective assessment of cosmetic outcome after targeted intraoperative radiotherapy in breast cancer: results from a randomised controlled trial. *Breast Cancer Research and Treatment*, 140(3), 519–525.



Vaidya, J. S., Baum, M., Tobias, J. S., Wenz, F., Massarut, S., Keshtgar, M., ... Joseph, D. (2011). Long-Term Results of Targeted Intraoperative Radiotherapy (Targit) Boost During Breast-Conserving Surgery. *International Journal of Radiation Oncology*Biography*Physics*, 81(4), 1091–1097.



Vaidya, J. S., Joseph, D. J., Tobias, J. S., Bulsara, M., Wenz, F., Saunders, C., ... Baum, M. (2010). Targeted intraoperative radiotherapy versus whole breast radiotherapy for breast cancer (TARGIT-A trial): an international, prospective, randomised, non-inferiority phase 3 trial. *The Lancet*, 376(9735), 91–102.



Find out more about the Clinical References

Clinical Trial Overview



An International Randomised Controlled Trial to Compare Targeted Intra-operative Radiotherapy Boost With Conventional External Beam Radiotherapy Boost After Lumpectomy for Breast Cancer in Women With a High Risk of Local Recurrence.



Targeted Intraoperative Radiotherapy United States (TARGIT-US) Phase IV Registry Trial: A Registry Trial of Targeted Intraoperative Radiation Therapy Following Breast-conserving Surgery



TARGIT-C(Consolidation) Prospective Phase IV Study of Intraoperative Radiotherapy (IORT) in Patients With Small Breast Cancer



Find out more about the Clinical Trials

Top INTRABEAM® References



Fabris, L., Berton, S., Citron, F., D'Andrea, S., Segatto, I., Nicoloso, M. S., ... Belletti, B. (2016). Radiotherapy-induced miR-223 prevents relapse of breast cancer by targeting the EGF pathway. Oncogene, (February 2016), 1–13.



Woolf, D. K., Williams, N. R., Bakshi, R., Madani, S. Y., Eaton, D. J., Fawcitt, S., ... Keshtgar, M. (2014). Biological dosimetry for breast cancer radiotherapy: a comparison of external beam and intraoperative radiotherapy. SpringerPlus, 3, 329.



Schneider, F., Clausen, S., Jahnke, A., Steil, V., Bludau, F., Sütterlin, M., ... Wenz, F. (2014). Radiation protection for an intraoperative X-ray source compared to C-arm fluoroscopy. Zeitschrift Fur Medizinische Physik, 24(3), 243–251.



*Liu, Q., Schneider, F., Ma, L., Wenz, F., & Herskind, C. (2013). Relative Biologic Effectiveness (RBE) of 50 kV X-rays Measured in a Phantom for Intraoperative Tumor-Bed Irradiation. International Journal of Radiation Oncology*Biolog*Physics, 85(4), 1127–1133.*



Eaton, D. J., & Duck, S. (2010). Dosimetry measurements with an intra-operative x-ray device. Physics in Medicine and Biology, 55(12), N359–N369.



Find out more about
ZEISS INTRABEAM 600



Carl Zeiss Meditec AG

Goeschwitzer Strasse 51–52

07745 Jena

Germany

www.zeiss.com/radiotherapy

www.zeiss.com/med/contacts

EN_30_010_00311 Printed in Germany. International edition. Not for use in the USA. The contents of the brochure may differ from the current status of approval of the product or service offering in your country. Please contact our regional representatives for more information. Subject to changes in design and scope of delivery and due to ongoing technical development. INTRABEAM is a registered trademark of Carl Zeiss Meditec AG. © Carl Zeiss Meditec AG, 2016. All rights reserved.